



Scripts
Acronis TrueImage WinPE 2015 14_13_12.Script Acronis TrueImage WinPE 2015-14-13-12 6.750 seconds

Warnings
⚠ (Macro_Library.script) Can not copy file iernonce.dll

%BaseDir% = D:\Winbuilder-x86
(WinBuilder's path is replaced by the variable %BaseDir% to make the log easier to read)
WinBuilder Version [082]

Variables
%_ML_B_Depend%
%_ML_RegAddBootMethod%
%_ML_RF_TYPE%
%_ML_Shortcut_TYPE%
%API%
%API_TYPE%
%APIDEF%
%APISUBDEF%
%APIVAR%
%AppMode%
%AtRam%
%AutoRunFile%
%BaseDir%
%BootSRC%
%Build%
%CDDrive%
%Comp80%
%Day%
%DistLang%
%DistLangHost%
%ES%
%FileVersion%
%GlobalSupport%
%GlobalTemp%
%GlobalTemplates%
%HostOS%
%InstallSRC%
%IsoDir%
%IsoFile%
%IsoFileName%
%LocaleScript%
%Month%
%OS%
%OSArch%
%OSFamily%
%PE_CFG%
%PE_Programs%
%PECfg%
%PECfgCD%

%PluginArch%	
%ProcessorType%	8664
%ProgramFilesDir%	C:\Program Files (x86)
%Programs64%	C:\Program Files
%ProjectCache%	%BaseDir%\Workbench\Win7PESE\Cache
%ProjectDir%	%BaseDir%\Projects\Win7PESE
%ProjectInfo%	%BaseDir%\Projects\Win7PESE\project.ini
%ProjectName%	Win7PESE
%ProjectSupport%	%BaseDir%\Workbench\Win7PESE
%ProjectTemp%	%BaseDir%\Temp\Win7PESE
%ProjectTemplates%	%BaseDir%\Workbench\Win7PESE\UserData
%ProjectTitle%	Win7PE SE
%RegComponents%	%baseDir%\Target\Win7PESE\Windows\System32\config\Components
%RegDefault%	%baseDir%\Target\Win7PESE\Windows\System32\config\Default
%RegSoftware%	%baseDir%\Target\Win7PESE\Windows\System32\config\Software
%RegSystem%	%baseDir%\Target\Win7PESE\Windows\System32\config\System
%Source_Sys%	%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\System32
%Source_Win%	%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows
%SourceArch%	x64
%SourceDir%	H:
%SystemDrive%	#\$pSystemDrive#\$p
%SysType%	X64
%Target_Prog%	%BaseDir%\Target\Win7PESE\Programs
%target_sys%	%baseDir%\Target\Win7PESE\Windows\System32
%target_win%	%baseDir%\Target\Win7PESE\Windows
%TargetDir%	%baseDir%\Target\Win7PESE
%TargetProfilesBaseDir%	%baseDir%\Target\Win7PESE
%TargetProfilesUserDir%	%baseDir%\Target\Win7PESE\Users\Default
%TargetWOW64%	x86
%TempDir%	C:\Users\Paolo\AppData\Local\Temp
%TempFolder%	%BaseDir%\Temp\Win7PESE
%Tools%	%BaseDir%\Projects\Tools\Win7PESE
%UserName%	Paolo
%UserProfile%	C:\Users\Paolo
%Version%	082
%WBexe%	%BaseDir%\Win7PESE82_Builder.exe
%WindowsDir%	C:\Windows
%WindowsSystemDir%	C:\Windows\system32
%Wow64%	True
%Wow64Dir%	C:\Windows\SysWOW64
%Year%	2017

- ✓ IF - File exists: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script] evaluated string: [If.ExistFile,%API%,AddVariables,%API%,ApiVar,GLOBAL]
- ✓ AddVariables - Added section [ApiVar] from file [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script] into the local variable list
- ✓ System - OnBuildExit [System,ONBUILDEXIT,Exec,%ProjectDir%\script.project,Win7PESE-ONBUILDEXIT]
- ⌚ [//If,Not,ExistFile,%RegSystem%,Run,%ProjectDir%\script.project,Process_DebugNT6x]

Acronis TruelImage_WinPE_2015_14_13_12.Script Acronis TruelImage WinPE 2015-14-13-12

⌚ File [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script] Version

⌚

⌚ [//Arch,x86|x64]

⌚ Processing Acronis TruelImage WinPE 2015-14-13-12...

⌚ [/-]

✓ IF - [x64] is equal to: [x64] evaluated string: [If,%SourceArch%,Equal,x64,Run,%ScriptFile%,PluginSetx64]

Run - Processing section: [PluginSetx64] From file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]

✗ IF - File does not exist: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE64.zip] evaluated string: [If,ExistFile,%ProvideFiles%\%SetupFilex64%,Begin]

✗ [Set,%ProgramFolder%,%ProgramFolderx64%]

✗ [Set,%ProgramEXE%,%ProgramEXEx64%]

✗ [Set,%FArch%,x64]

✗ [Set,%ProvideFilesCopy%,%ProvideFiles%\x64%\ProgramFolder%]

✗ [Set,%SetupFile%,%SetupFilex4%]

✗ [Set,%ProgramFolderS%,%ProgramFolderSx64%]

✗ [End]

✓ IF - [winpe32.zip] is equal to: [winpe32.zip] evaluated string: [If,%SetupFile%,Equal,%SetupFilex86%,Arch,x86]

Run - Processing section: [Arch_check] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

⌚ with parameters: [x86]

✗ IF - [x86] is not equal to: [] evaluated string: [If,#1,Equal,,Echo,"Using Arch YOU MUST DEFINE Architecture supported by script. Parameter missing",WARN]

✗ IF - [x86] is not equal to: [] evaluated string: [If,#1,Equal,,Exit,"Using Arch YOU MUST DEFINE Architecture supported by script. Parameter missing"]

✓ SetVar - Sucessfully changed the value of [%arch_onoff%] to: [0]

✗ IF - [x86] is not equal to: [off] evaluated string: [If,#1,Equal,Off,Run,%API%,Arch_Off]

✗ IF - [x86] is not equal to: [on] evaluated string: [If,#1,Equal,On,Run,%API%,Arch_On]

✓ IF - [0] is equal to: [0] evaluated string: [If,%arch_onoff%,Equal,0,Run,%API%,Arch_Set,#1]

Run - Processing section: [Arch_Set] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 with parameters: [x86]

 ✓ SetVar - Sucessfully changed the value of [%_ML_ArchApi%] to: [x86]

 ✓ StrFormat - converted [POS(x86,)] to variable: [%multiarch%] with result: [0]

 ✓ IF - [0] is equal to: [0] evaluated string: [If,%multiarch%,Equal,0,Run,%API%,Arch_SingleArch]

Run - Processing section: [Arch_SingleArch] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 ✓ IF - [x86] is equal to: [x86] evaluated string: [If,%_ML_ArchApi%,Equal,x86>If,Not,%TargetWOW64%,Equal,x86,Exit,"%ProgramTitle% requires WOW64 for PE %%"

 ✗ IF - [x86] is equal to: [x86] evaluated string: [If,Not,%TargetWOW64%,Equal,x86,Exit,"%ProgramTitle% requires WOW64 for PE %SourceArch%"

 ✗ IF - [x86] is not equal to: [x64] evaluated string: [If,%_ML_ArchApi%,Equal,x64>If,Not,%SourceArch%,Equal,x64,Exit,"%ProgramTitle% can only run on PE x64"

 ✗ IF - [x86] is not equal to: [ia64] evaluated string: [If,%_ML_ArchApi%,Equal,IA64>If,Not,%SourceArch%,Equal,IA64,Exit,"%ProgramTitle% can only run on PE IA64"

Run - Processed section [Arch_SingleArch] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 ✗ ELSE - [Run,%API%,Arch_MultiArch]

Run - Processed section [Arch_Set] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Arch_Check] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [PluginSetx64] file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]

 [/-]

 ✗ IF - File exists: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32.zip] evaluated string: [If,Not,ExistFile,%ProvideFiles%\%SetupFile%,Call,Echo,"%ScriptT

 ✗ IF - File exists: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32.zip] evaluated string: [If,Not,ExistFile,%ProvideFiles%\%SetupFile%,Exit,"-"]

 [/-]

 ✓ StrFormat - converted [REPLACE(Run from Normal,Run from)] to variable: [%Here%] with result: [Normal]

 ✗ IF - [normal] is equal to: [normal] evaluated string: [If,Not,%Here%,Equal,Normal,RunFrom,%Here%]

 [/-]

Run - Processing section: [Extract] From file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]

 [Extracting-7z-Start]

 ✓ IF - Directory exists: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage] evaluated string: [If,ExistDir,%ProjectTemp%\TempExtractFolder%\ProgramFolderS%,Sh

 ✓ ShellExecute: [Hide] using: [cmd.exe] with parameters: [/C rd /s /q "%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage"]

 ✗ IF - Directory does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage] evaluated string: [If,ExistDir,%ProjectTemp%\TempExtractFolder%\ProgramFold

 ✓ DirMake - Created directory: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage]

 ✓ ShellExecute: [Hide] using: [%BaseDir%\Projects\Tools\Win7PESE\7z.exe] with parameters: [x "%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32.zip"

 [Extracting-7z-Finish]

 ✓ SetVar - Sucessfully changed the value of [%t%] to: [Files]

 ✗ IF - Directory does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\Files64] evaluated string: [If,ExistDir,%ProjectTemp%\TempExtractFolder%\Prog

 ✓ FileRename - Successfully renamed file: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\Files] to: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImag

Run - Processed section [Extract] in file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]

 [/-]

 ✗ IF - Directory exists: [%BaseDir%\Target\Win7PESE\Programs] evaluated string: [If,Not,ExistDir,%Target_Prog%,DirMake,%Target_Prog%]

 ✓ IF - Directory exists: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage] evaluated string: [If,ExistDir,%Target_Prog%\%ProgramFolder%,ShellExecute,Hide,cmd.exe,

 ✓ ShellExecute: [Hide] using: [cmd.exe] with parameters: [/C rd /s /q "%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage"]

 ✗ IF - Directory does not exist: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage] evaluated string: [If,ExistDir,%Target_Prog%\%ProgramFolder%,Call,DirDelete,%Tar

 ✗ IF - Directory exists: [%BaseDir%\Target\Win7PESE\Programs\Acronis] evaluated string: [If,Not,ExistDir,%Target_Prog%\%ProgramFolderR%,DirMake,%Target_Prog%\%Progr

 ✓ DirCopy - Copied directory [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis]

 [-----]

 ✓ Retrieve - Sucessfully retrieved the file version from: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\TruelImage_starter.exe] to variable: [%ProgramEXEver%] with

 [/-]

Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 with parameters: [DirDelete],[%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\Drivers]

Run - Processing section: [CallC_DirDelete] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 with parameters: [DirDelete],[%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\Drivers]

 ✓ IF - Directory exists: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\Drivers] evaluated string: [If,ExistDir,#2,ShellExecute,Hide,cmd.exe,"/C rd /s /q "#2"]

 ✓ ShellExecute: [Hide] using: [cmd.exe] with parameters: [/C rd /s /q "%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\Drivers"]

 ✗ IF - Directory does not exist: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\Drivers] evaluated string: [If,ExistDir,#2,Run,%API%,Dir_Delete_Fast_CMD,#1]

Run - Processed section [CallC_DirDelete] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 [/-]

 ✓ SetVar - Sucessfully changed the value of [%s%] to: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage]

 ✓ IF - File exists: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\A43.exe] evaluated string: [If,ExistFile,%s%\A43.exe,Begin]

 ✓ SetVar - Sucessfully changed the value of [%ta43%] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43]

 ✓ DirMake - Created directory: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\links]

 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\A43.dat] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\A

 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\A43.exe] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\A

 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\A43.ini] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\A

 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\A43help.txt] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\A

 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\unrar.dll] to: [%BaseDir%\Target\Win7PESE\Programs\Acronis\TruelImage\A43\A

 [End]

 [/-]

 ✓ SetVar - Sucessfully changed the value of [%sd%] to: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers]

 [/-]

 ✓ SetVar - Sucessfully changed the value of [%tgt%] to: [%BaseDir%\Target\Win7PESE\Windows\System32]

 ✓ IF - [x64] is not equal to: [x86] evaluated string: [If,Not,%SourceArch%,Equal,x86,If,%SetupFile%,Equal,%SetupFilex86%,Set,%tgt%,%Target_Win%\SysWOW64]

 ✓ IF - [winpe32.zip] is equal to: [winpe32.zip] evaluated string: [If,%SetupFile%,Equal,%SetupFilex86%,Set,%tgt%,%Target_Win%\SysWOW64]

 ✓ SetVar - Sucessfully changed the value of [%tgt%] to: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64]

 [/-]

Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 with parameters: [FileCopyBiggerVersion],[%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll],[%BaseDir%\Target\Win7PESE\Win

Run - Processing section: [CallC_FileCopyBiggerVersion] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 with parameters: [FileCopyBiggerVersion],[%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll],[%BaseDir%\Target\Win7PESE\Win

 ✓ SetVar - Sucessfully changed the value of [#5] to: []

 ✓ SetVar - Sucessfully changed the value of [#4] to: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64]

 ✓ StrFormat - converted: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll] to variable: [#3] with result: [snapapi.dll]

 ✓ StrFormat - converted: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll] to variable: [#2] with result: [%BaseDir%\Temp\Win7PE

 ✓ StrFormat - converted [CTrim(%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers)] to variable: [#2] with result: [%BaseDir%\Temp\Win7PE

✓ IF - [-] is equal to: [-] evaluated string: [If,#5=Equal,-,Set,#5,#3]
 ✓ SetVar - Sucessfully changed the value of [#5] to: [snapapi.dll]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\snapapi.dll] evaluated string: [If,Not,ExistFile,#4\#5,FileCopy,#2\#3,#4\#5]
 ✓ ELSE - executing command: [Run,%Api%,CallC_FileCopyBiggerVersion_C,#1,#2,#3,#4,#5,#6,#7,#8,#9]
 Run - Processing section: [CallC_FileCopyBiggerVersion_C] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [FileCopyBiggerVersion],[%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers],[snapapi.dll],[%BaseDir%\Target\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll]
 ✓ Retrieve - Sucessfully retrieved the file version from: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapi.dll] to variable: [%_ML_CallC_FileCopyBiggerV_1]
 ✓ Retrieve - Sucessfully retrieved the file version from: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\snapapi.dll] to variable: [%_ML_CallC_FileCopyBiggerV_1]
 ✓ IF - [4.5.0.2133] is equal to: [4.5.0.2133] evaluated string: [If,%_ML_CallC_FileCopyBiggerV_TempS%,Equal,%_ML_CallC_FileCopyBiggerV_TempT%,Set,%_ML_CallC_FileCopyBiggerV_TempT%]
 ✓ SetVar - Sucessfully changed the value of [%_ML_CallC_FileCopyBiggerV_TempT%] to: [Equal]
 ✘ ELSE - [Call,CompareVersions,%_ML_CallC_FileCopyBiggerV_TempS%,%_ML_CallC_FileCopyBiggerV_TempT%,,_ML_CallC_FileCopyBiggerV_Temp]
 ↗ IF - [equal] is not equal to: [bigger] evaluated string: [If,%_ML_CallC_FileCopyBiggerV_Temp%,Equal,Bigger,Begin]
 ↗ [ShellExecute,Hide,attrib.exe,-R -S A -H #\$q#4#3#\$q]
 ↗ [If,Not,ExistVar,%NoWarnFOW%,InRead,%ProjectDir%\script.project,IniVariables,NoWarnFileOverWrite,%NoWarnFOW%]
 ↗ [Echo,"Version Copy #2\#3 (Source) > #4\#3 (Target)"]
 ↗ [If,%NoWarnFOW%,Equal,True,System,ERROROFF]
 ↗ [FileCopy,#2\#3,#4\#5]
 ✘ [End]
 Run - Processed section [CallC_FileCopyBiggerVersion_C] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processed section [CallC_FileCopyBiggerVersion] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ [/snapapint.bin do not have Version Info !]
 ✘ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapint.bin] evaluated string: [If,ExistFile,%sd%\snapapint.bin,FileCopy]
 ✘ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\snapapint64.bin] evaluated string: [If,ExistFile,%sd%\snapapint64.bin,FileCopy]
 ↗ [/]-
 ✓ IF - [x64] is not equal to: [x86] evaluated string: [If,Not,%SourceArch%,Equal,x86,If,%SetupFile%,Equal,%SetupFileX86%,Set,%sd%,%ProvideFiles%\WinPE32_64]
 ✓ IF - [winpe32.zip] is equal to: [winpe32.zip] evaluated string: [If,%SetupFile%,Equal,%SetupFileX86%,Set,%sd%,%ProvideFiles%\WinPE32_64]
 ✓ SetVar - Sucessfully changed the value of [%sd%] to: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64]
 Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [FileCopyBiggerVersion],[%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\fitsrv.sys],[%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\fitsrv.sys]
 Run - Processing section: [CallC_FileCopyBiggerVersion] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [FileCopyBiggerVersion],[%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\fitsrv.sys],[%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\fitsrv.sys]
 ✓ SetVar - Sucessfully changed the value of [#5] to: []
 ✓ SetVar - Sucessfully changed the value of [#4] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers]
 ✓ StrFormat - converted: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\fitsrv.sys] to variable: [#3] with result: [fitsrv.sys]
 ✓ StrFormat - converted: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\fitsrv.sys] to variable: [#2] with result: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64]
 ✓ StrFormat - converted [CTRIM%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64] to variable: [#2] with result: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64]
 ✓ IF - [-] is equal to: [-] evaluated string: [If,#5=Equal,-,Set,#5,#3]
 ✓ SetVar - Sucessfully changed the value of [#5] to: [fitsrv.sys]
 ✓ IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\fitsrv.sys] evaluated string: [If,Not,ExistFile,#4\#5,FileCopy,#2\#3,#4\#5]
 ✓ FileCopy - Copied [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\fitsrv.sys] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\fitsrv.sys]
 ✘ ELSE - [Run,%Api%,CallC_FileCopyBiggerVersion_C,#1,#2,#3,#4,#5,#6,#7,#8,#9]
 Run - Processed section [CallC_FileCopyBiggerVersion] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [FileCopyBiggerVersion],[%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\snapman.sys],[%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\snapman.sys]
 Run - Processing section: [CallC_FileCopyBiggerVersion] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [FileCopyBiggerVersion],[%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\snapman.sys],[%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\snapman.sys]
 ✓ SetVar - Sucessfully changed the value of [#5] to: []
 ✓ SetVar - Sucessfully changed the value of [#4] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers]
 ✓ StrFormat - converted: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\snapman.sys] to variable: [#3] with result: [snapman.sys]
 ✓ StrFormat - converted: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\snapman.sys] to variable: [#2] with result: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64]
 ✓ StrFormat - converted [CTRIM%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64] to variable: [#2] with result: [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64]
 ✓ IF - [-] is equal to: [-] evaluated string: [If,#5=Equal,-,Set,#5,#3]
 ✓ SetVar - Sucessfully changed the value of [#5] to: [snapman.sys]
 ✓ IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\snapman.sys] evaluated string: [If,Not,ExistFile,#4\#5,FileCopy,#2\#3,#4\#5]
 ✓ FileCopy - Copied [%BaseDir%\Workbench\Common\Acronis True Image_WinPE\WinPE32_64\snapman.sys] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\snapman.sys]
 ✘ ELSE - [Run,%Api%,CallC_FileCopyBiggerVersion_C,#1,#2,#3,#4,#5,#6,#7,#8,#9]
 Run - Processed section [CallC_FileCopyBiggerVersion] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ [/]-
 ✓ SetVar - Sucessfully changed the value of [%svc%] to: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\Microsoft.VC80.CRT]
 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\Microsoft.VC80.CRT\Microsoft.VC80.CRT.manifest] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\Microsoft.VC80.CRT]
 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\Microsoft.VC80.CRT\msvcm80.dll] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\Microsoft.VC80.CRT\msvcm80.dll]
 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\Microsoft.VC80.CRT\msvc80.dll] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\Microsoft.VC80.CRT\msvc80.dll]
 ✓ FileCopy - Copied [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TruelImage\TruelImage\Drivers\Microsoft.VC80.CRT\msvcr80.dll] to: [%BaseDir%\Target\Win7PESE\Windows\System32\Drivers\Microsoft.VC80.CRT\msvcr80.dll]
 ↗ [/-----]
 ✘ IF - [nt5] is not equal to: [nt5] evaluated string: [If,%OSFamily%,Equal,NT5,Run,%ScriptFile%,NT5]
 ↗ [/]-
 ↗ [/Dependencies - Require_FileQ : http://TheOven.org/index.php?topic=43.0 -- Macro Library : http://TheOven.org/index.php?board=14.0]
 Run - Processing section: [Require_FileQ_P] From file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]
 Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [activeds.dll]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\activeds.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%\#1,Run,%Api%,Expand_FileQ2System32]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\activeds.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%\%DistLang%\#1.mui,Run,%Api%,Expand_FileQ2System32]
 Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [ADSLDPC.dll]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\ADSLDPC.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%\#1,Run,%Api%,Expand_FileQ2System32]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\ADSLDPC.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%\%DistLang%\#1.mui,Run,%Api%,Expand_FileQ2System32]
 Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [credui.dll]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\credui.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%\#1,Run,%Api%,Expand_FileQ2System32]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\credui.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%\%DistLang%\#1.mui,Run,%Api%,Expand_FileQ2System32]
 Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [iernonce.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\iernonce.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%#1,Run,%Api%,Expand_FileQ2System]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\iernonce.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%&%DistLang%#1.mui,Run,%]

Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [shfolder.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\shfolder.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%#1,Run,%Api%,Expand_FileQ2System3]
- IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\shfolder.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%&%DistLang%#1.mui]

Run - Processing section: [Expand_FileQ2System32_Mui] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [shfolder.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\System32\en-US\shfolder.dll.mui] evaluated string: [If,ExistFile,%Source_Sys%]
- ELSE - executing command: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2System32_Mui_enUS,#1]
- IF - [en-us] is equal to: [en-us] evaluated string: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2System32_Mui_enUS,#1]

Run - Processed section [Expand_FileQ2System32_Mui] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [msimg32.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\msimg32.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%#1,Run,%Api%,Expand_FileQ2System]
- IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\msimg32.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%&%DistLang%#1.mui]

Run - Processing section: [Expand_FileQ2System32_Mui] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [msimg32.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\System32\en-US\msimg32.dll.mui] evaluated string: [If,ExistFile,%Source_Sys%]
- ELSE - executing command: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2System32_Mui_enUS,#1]
- IF - [en-us] is equal to: [en-us] evaluated string: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2System32_Mui_enUS,#1]

Run - Processed section [Expand_FileQ2System32_Mui] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [ntmarta.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\ntmarta.dll] evaluated string: [If,Not,ExistFile,%Target_Sys%#1,Run,%Api%,Expand_FileQ2System3]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\System32\en-US\ntmarta.dll.mui] evaluated string: [If,Not,ExistFile,%Target_Sys%&%DistLang%#1.mui,Run,%]

Run - Processed section [Expand_FileQ2x64x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Require_FileQ_P] in file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TruelImage_WinPE_2015_14_13_12.Script]

- IF - [x64] is not equal to: [x86] evaluated string: [If,Not,%SourceArch%,Equal,x86,If,%SetupFile%,Equal,%SetupFilex86%,Begin]
- IF - [winpe32.zip] is equal to: [winpe32.zip] evaluated string: [If,%SetupFile%,Equal,%SetupFilex86%,Begin]
- SetVar - Sucessfully changed the value of [%PluginArch%] to: [x86]

Run - Processing section: [Require_FileQ_P] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [activeds.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\activeds.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\activeds.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64%]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [ADSLDPC.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\ADSLDPC.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\ADSLDPC.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64%]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [credui.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\credui.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\credui.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64%]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [iernonce.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\SysWow64\iernonce.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,R]

Run - Processing section: [Expand_FileQ2SysWOW64] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [iernonce.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\SysWow64\iernonce.dll] evaluated string: [If,Not,ExistFile,%Source_Win%]
- ! Can not copy file iernonce.dll
- ELSE - [FileCopy,%Source_Win%]\SysWow64#1,%TargetDir%\Windows\SysWow64]

Run - Processed section [Expand_FileQ2SysWOW64] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\iernonce.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysW%]

Run - Processing section: [Expand_FileQ2SysWOW64_Mui] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [iernonce.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\SysWow64\en-US\iernonce.dll.mui] evaluated string: [If,ExistFile,%Source_
- ELSE - executing command: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]
- IF - [en-us] is equal to: [en-us] evaluated string: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]

Run - Processed section [Expand_FileQ2SysWOW64_Mui] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [shfolder.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\shfolder.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
- IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\shfolder.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysW%

Run - Processing section: [Expand_FileQ2SysWOW64_Mui] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [iernonce.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\SysWow64\en-US\iernonce.dll.mui] evaluated string: [If,ExistFile,%Source_
- ELSE - executing command: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]
- IF - [en-us] is equal to: [en-us] evaluated string: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]

Run - Processed section [Expand_FileQ2SysWOW64_Mui] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [msimg32.dll]
- IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\msimg32.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
- IF - File does not exist: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\msimg32.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysW%

Run - Processing section: [Expand_FileQ2SysWOW64_Mui] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- with parameters: [msimg32.dll]
- IF - File does not exist: [%BaseDir%\Mount\Win7PESE\Source\Install\WimSrc\Windows\SysWow64\en-US\msimg32.dll.mui] evaluated string: [If,ExistFile,%Source_

✓ ELSE - executing command: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]
 ✘ IF - [en-us] is equal to: [en-us] evaluated string: [If,Not,%DistLang%,Equal,en-US,Run,%Api%,Expand_FileQ2SysWOW64_Mui_enUS,#1]

Run - Processed section [Expand_FileQ2SysWOW64_Mui] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [Expand_FileQ2x64x86x86] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [ntmarta.dll]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\ntmarta.dll] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64#1,Run,%Api%]
 ✘ IF - File exists: [%BaseDir%\Target\Win7PESE\Windows\SysWOW64\en-US\ntmarta.dll.mui] evaluated string: [If,Not,ExistFile,%TargetDir%\Windows\SysWOW64%\%]
 Run - Processed section [Expand_FileQ2x64x86x86] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [Require_FileQ_P] in file: [%BaseDir%\Projects\Win7PESE\Apps\HD Tasks\Acronis\Acronis TrueImage_WinPE_2015_14_13_12.Script]
 ✓ [End]
 ↴ [//--]

Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [CompareVersions],[16.0.0.6514],[18],[var]

Run - Processing section: [CallC_CompareVersions] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [CompareVersions],[16.0.0.6514],[18],[var]
 ✘ IF - [var] is not equal to: [-] evaluated string: [If,#4,,Equal,-,Set,#4,CompareVersions]
 ✓ StrFormat - converted [Split(16.0.0.6514..)] to variable: [#9] with result: [4]
 ✓ StrFormat - converted [Split(18..)] to variable: [#8] with result: [1]
 ✓ IF - [4] is not equal to: [1] evaluated string: [If,Not,#9,Equal,#8,If,#9,Smaller,#8,Set,#9,#8]
 ✘ IF - [4] is not smaller than [1] evaluated string: [If,#9,Smaller,#8,Set,#9,#8]

Loop - Processing section: [CallC_CompareVersions_Loop] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1],[4],[16.0.0.6514],[1]
 Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1][16.0.0.6514],[1]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp11%] to: [0]
 ✓ StrFormat - converted [Split(16.0.0.6514..)] to variable: [%_ML_Temp11%] with result: [16]
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [2][16.0.0.6514],[1]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp12%] to: [0]
 ✓ StrFormat - converted [Split(16.0.0.6514..)] to variable: [%_ML_Temp12%] with result: [0]
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [3][16.0.0.6514],[1]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp13%] to: [0]
 ✓ StrFormat - converted [Split(16.0.0.6514..)] to variable: [%_ML_Temp13%] with result: [0]
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [4][16.0.0.6514],[1]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp14%] to: [0]
 ✓ StrFormat - converted [Split(16.0.0.6514..)] to variable: [%_ML_Temp14%] with result: [6514]
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Loop - Processed section [CallC_CompareVersions_Loop] in file: [Loop,%Api%,CallC_CompareVersions_Loop,1,#9,#2,1]
 Loop - Processing section: [CallC_CompareVersions_Loop] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1],[4],[18],[2]
 Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1][18],[2]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp21%] to: [0]
 ✓ StrFormat - converted [Split(18..)] to variable: [%_ML_Temp21%] with result: [18]
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [2][18],[2]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp22%] to: [0]
 ✓ StrFormat - converted [Split(18..)] to variable: [%_ML_Temp22%] with result: []
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [3][18],[2]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp23%] to: [0]
 ✓ StrFormat - converted [Split(18..)] to variable: [%_ML_Temp23%] with result: []
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Iteration - Processing section: [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [4][18],[2]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp24%] to: [0]
 ✓ StrFormat - converted [Split(18..)] to variable: [%_ML_Temp24%] with result: []
 Iteration - Processed section [CallC_CompareVersions_Loop] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Loop - Processed section [CallC_CompareVersions_Loop] in file: [Loop,%Api%,CallC_CompareVersions_Loop,1,#9,#3,2]
 ↴ [//--]

Loop - Processing section: [CallC_CompareVersions_Loop_V] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1],[4]
 Iteration - Processing section: [CallC_CompareVersions_Loop_V] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
 ↗ with parameters: [1]
 ✘ IF - [16] is not bigger than [18] evaluated string: [If,%_ML_Temp1#c%,Bigger,%_ML_Temp2#c%,Set,%_ML_Temp%,Bigger]
 ✓ IF - [16] is smaller than [18] evaluated string: [If,%_ML_Temp1#c%,Smaller,%_ML_Temp2#c%,Set,%_ML_Temp%,Smaller]
 ✓ SetVar - Sucessfully changed the value of [%_ML_Temp%] to: [Smaller]
 ✘ IF - [16] is not equal to: [18] evaluated string: [If,%_ML_Temp1#c%,Equal,%_ML_Temp2#c%,Set,%_ML_Temp%,Equal]
 ✓ IF - [smaller] is not equal to: [equal] evaluated string: [If,Not,%_ML_Temp%,Equal,Equal,Loop,BREAK]

Iteration - Processed section [CallC_CompareVersions_Loop_V] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Loop - Processed section [CallC_CompareVersions_Loop_V] in file: [Loop,%Api%,CallC_CompareVersions_Loop_V,1,#9]
 ↴ [//--]

✓ SetVar - Sucessfully changed the value of [%var%] to: [Smaller]

Run - Processed section [CallC_CompareVersions] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

✗ IF - [smaller] is not equal to: [bigger] evaluated string: [If,%var%,Equal,Bigger,Set,%serial%,,"%pTextBox_SNrB%"]

✓ ELSE - executing command: [Set,%serial%,%pTextBox_SNrA%]

✓ SetVar - Sucessfully changed the value of [%serial%] to: [98 0 18 13 3 13 29 99120 5 6 30 3109 20 13 5120 30 97 2 15 98 6 2 7120 30 25 13 2 0 6 6 3120 20 2 99103 22 6 5 22]

↳ [//--]

↳ [//Registry - Use Utils\RegCPE]

✓ SetVar - Sucessfully changed the value of [%wow64%] to: []

✓ IF - [x64] is not equal to: [x86] evaluated string: [If,Not,%SourceArch%,Equal,x86,If,%SetupFile%,Equal,%SetupFile86%,Set,%wow64%, "Wow6432Node\"]

✓ IF - [winpe32.zip] is equal to: [winpe32.zip] evaluated string: [If,%SetupFile%,Equal,%SetupFile86%,Set,%wow64%,Wow6432Node\]

✓ SetVar - Sucessfully changed the value of [%wow64%] to: [Wow6432Node]

✗ IF - [smaller] is not equal to: [bigger] evaluated string: [If,%var%,Equal,Bigger,Set,%wow64%, ""]

Run - Processing section: [WriteSettings] From file: [%BaseDir%\Projects\Win7PESE\apps\HD Tasks\Acronis\Acronis TrueImage_WinPE_2015_14_13_12.Script]

- ⌚ with parameters: [Wow6432Node]
- ⌚ Registering components...
- ✓ RegHiveLoad - File: [%BaseDir%\Target\Win7PESE\Windows\System32\config\Software] Section [Tmp_Software]
- ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_Software\Wow6432Node\Acronis] Key []:
- ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_Software\Wow6432Node\Acronis\TrueImage] Key []:
- ⌚ //[-]
- ✓ IF - [082] is bigger than [78] evaluated string: [If,%version%,Bigger,78,Begin]
- ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_Software\Wow6432Node\Acronis\TrueImage] Key [standard]: 98 0 18 13 3 13 29 99120 5 6 30 3109 20 13 5120 30 97 2 15 €
- ✓ [End]
- ✗ ELSE - [Run,%ScriptFile%,WriteSettings77,#1]
- ⌚ //[-]
- ✓ IF - [23 20 99 22 15 98 2 6120 6 27 99 15 98 15102 25120 27 29 18103 31 97 22 27120 23 17 31 17 5 1 30 23120 17 31 2103 7 99 19 25120 30 99 2 27 7 3 22 25120 7
- ✓ IF - [082] is bigger than [78] evaluated string: [If,%version%,Bigger,78,Begin]
- ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_Software\Wow6432Node\Acronis\TrueImage] Key [powerpack]: 23 20 99 22 15 98 2 6120 6 27 99 15 98 15102 25120 27
- ✓ [End]
- ✗ ELSE - [Run,%ScriptFile%,WriteSettings77_powerpack,#1]
- ✓ [End]
- ⌚ //[-]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\Settings],[WorkingDir],[Y:\Programs\Acronis\TrueImage]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\Settings"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_Software\Wow6432Node\Acronis\TrueImage\CommonComponents] Key []:

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[resource.dll],[Y:\Programs\Acronis\TrueImage\resource.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[icu38.dll],[Y:\Programs\Acronis\TrueImage\icu38.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[libcrypto10.dll],[Y:\Programs\Acronis\TrueImage\libcrypto10.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[thread_pool.dll],[Y:\Programs\Acronis\TrueImage\thread_pool.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[libssl10.dll],[Y:\Programs\Acronis\TrueImage\libssl10.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[rpc_client.dll],[Y:\Programs\Acronis\TrueImage\rpc_client.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[kb_link.dll],[Y:\Programs\Acronis\TrueImage\kb_link.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[universal_restore.dll],[Y:\Programs\Acronis\TrueImage\universal_restore.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

Run - Processing section: [RegAdd_boot_NMcfg] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [HKLM],[0x1],[Software\Wow6432Node\Acronis\TrueImage\CommonComponents],[vddapi.dll],[Y:\Programs\Acronis\TrueImage\vddapi.dll]
- ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [registry] line ["HKLM",0x1,"Software\Wow6432Node\Acronis\TrueImage\CommonComponents"]

Run - Processed section [RegAdd_boot_NMcfg] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

✓ SetVar - Sucessfully changed the value of [%s%] to: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TrueImage\TrueImage]

✗ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TrueImage\TrueImage] evaluated string: [If,ExistFile,%s%,mspack.dll,RegAddBoot,HKLM,0x1,Soft]

✗ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TrueImage\TrueImage] evaluated string: [If,ExistFile,%s%,ulxmlrpcpp.dll,RegAddBoot,HKLM,0x1,Soft]

✗ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\TempExtractFolder\TrueImage\TrueImage] evaluated string: [If,ExistFile,%s%,expat.dll,RegAddBoot,HKLM,0x1,Soft]

✓ RegHiveUnLoad - Unloaded registry hive: [Tmp_Software]

⌚ //[-]

✓ RegHiveLoad - File: [%BaseDir%\Target\Win7PESE\Windows\System32\config\System] Section [Tmp_System]

Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318}],[UpperFilters],[fltsrv]

Run - Processing section: [CallC_RegMultiSZ] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318}],[UpperFilters],[fltsrv]

Run - Processing section: [Call_RegMultiSZ] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ⌚ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318}],[UpperFilters],[fltsrv]

✓ SetVar - Sucessfully changed the value of %__ML_RegMultiSZ_Au3% to: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_001.au3]

✓ IF - File does not exist: [%__ML_FileDirDeleteX_Au3%] evaluated string: [If,NotExistFile,%__ML_FileDirDeleteX_Au3%,Run,%API%,Extract_RegMultiSZ_AU3]

Run - Processing section: [Extract_RegMultiSZ_AU3] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ✗ IF - Directory exists: [%BaseDir%\Temp\Win7PESE\Macro_Library] evaluated string: [If,NotExistDir,%ProjectTemp%\Macro_Library,DirMake,%ProjectTemp%]
- ✓ ExtractFile - [RegMultiSZ_001.au3] to: [%BaseDir%\Temp\Win7PESE\Macro_Library]

Run - Processed section [Extract_RegMultiSZ_AU3] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

✗ IF - File exists: [%BaseDir%\Projects\Tools\Win7PESE\x86\AU3381.exe] evaluated string: [If,NotExistFile,%Tools%\x86\AU3381.exe,Run,%API%,Download_Aut]

Run - Processing section: [Call_RegMultiSZ_P] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

- ↙ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318}],[UpperFilters],[fltsrv]
- ✖ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script] evaluated string: [If,ExistFile,%ProjectTemp%\Macro_Library\R
- ✓ ShellExecute: [Open] using: [%BaseDir%\Projects\Tools\Win7PESE\x86\AU3381.exe] with parameters: ["AutoIt3ExecuteScript" "%BaseDir%\Temp\Win7PES
- Run - Processing section: [Process] From file: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script]

 - ↙ RegMultiSZ Before - Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318} UpperFilters = PartMgr
 - ↙ RegMultiSZ After - Tmp_System\ControlSet001\Control\Class\{4D36E967-E325-11CE-BFC1-08002BE10318} UpperFilters = PartMgr|fltsrv

- Run - Processed section [Process] in file: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script]
- Run - Processed section [Call_RegMultiSZ_P] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [Call_RegMultiSZ] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [Call_RegMultiSZ] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [Call_RegMultiSZ] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processing section: [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ [/System,ERROROFF]
 - ↙ [/RegWrite,HKLM,0x7,Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F},UpperFilters,fltsrv]
 - Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F}],[UpperFilters],[fltsrv]

 - Run - Processing section: [Call_RegMultiSZ] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F}],[UpperFilters],[fltsrv]

 - Run - Processing section: [Call_RegMultiSZ] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F}],[UpperFilters],[fltsrv]

 - ✓ SetVar - Successfully changed the value of [%_ML_RegMultiSZ_AU3%] to: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_001.au3]
 - ✓ IF - File does not exist: [%_ML_FileDirDeleteX_AU3%] evaluated string: [If,Not,ExistFile,%_ML_FileDirDeleteX_Au3%,Run,%API%,Extract_RegMultiSZ_AU3]
 - Run - Processing section: [Extract_RegMultiSZ_AU3] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ✖ IF - Directory exists: [%BaseDir%\Temp\Win7PESE\Macro_Library] evaluated string: [If,Not,ExistDir,%ProjectTemp%\Macro_Library,DirMake,%ProjectTemp%
 - ✓ ExtractFile - [RegMultiSZ_001.au3] to: [%BaseDir%\Temp\Win7PESE\Macro_Library]

 - Run - Processed section [Extract_RegMultiSZ_AU3] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ✖ IF - File exists: [%BaseDir%\Projects\Tools\Win7PESE\x86\AU3381.exe] evaluated string: [If,Not,ExistFile,%Tools%\x86\AU3381.exe,Run,%API%,Download_Aut

 - Run - Processing section: [Call_RegMultiSZ_P] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [RegMultiSZ],[Append],[Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F}],[UpperFilters],[fltsrv]
 - ✓ IF - File exists: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script] evaluated string: [If,ExistFile,%ProjectTemp%\Macro_Library\RegMultiS

 - Run - Processing section: [_CenterCa] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [FileDelete],[%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script],[Halt]

 - Run - Processing section: [CallC_FileDelete] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [FileDelete],[%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script],[Halt]

 - ✓ IF - File exists: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script] evaluated string: [If,ExistFile,#2,ShellExecute,Hide,cmd.exe,"/C :
 - ✓ ShellExecute: [Hide] using: [cmd.exe] with parameters: [/C del /q /f %BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script&del /q /f /A:f
 - ✖ IF - File does not exist: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script] evaluated string: [If,ExistFile,#2,Run,%API%,File_Delete

- Run - Processed section [CallC_FileDelete] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ✓ ShellExecute: [Open] using: [%BaseDir%\Projects\Tools\Win7PESE\x86\AU3381.exe] with parameters: ["AutoIt3ExecuteScript" "%BaseDir%\Temp\Win7PES

- Run - Processing section: [Process] From file: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script]

 - ↙ RegMultiSZ Before - Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F} UpperFilters =
 - ↙ RegMultiSZ After - Tmp_System\ControlSet001\Control\Class\{71A27CDD-812A-11D0-BEC7-08002BE2092F} UpperFilters = fltsrv

- Run - Processed section [Process] in file: [%BaseDir%\Temp\Win7PESE\Macro_Library\RegMultiSZ_Log.Script]
- Run - Processed section [Call_RegMultiSZ_P] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [Call_RegMultiSZ] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]
- Run - Processed section [_CenterCa] in file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [DisplayName]: Acronis Storage Filter Management
 - ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [Group]: PnP Filter
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [ErrorControl]: 1
 - ✓ RegWrite - Type: [0x2] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [ImagePath]: system32\DRIVERS\fltsrv.sys
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [Start]: 0
 - ↙ [/RegWrite,HKLM,0x4,Tmp_System\ControlSet001\Services\fltsrv,Tag,8]
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\fltsrv] Key [Type]: 1
 - ↙ [/If,%SourceArch%,Equal,x64,RegWrite,HKLM,0x4,Tmp_System\ControlSet001\Services\fltsrv,WOW64,1]
 - ✓ RegWrite - Type: [0x1] Section [HKLM\Tmp_System\ControlSet001\Services\snapman] Key [DisplayName]: Acronis Snapshot Manager
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\snapman] Key [ErrorControl]: 1
 - ✓ RegWrite - Type: [0x2] Section [HKLM\Tmp_System\ControlSet001\Services\snapman] Key [ImagePath]: system32\DRIVERS\snapman.sys
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\snapman] Key [Start]: 0
 - ✓ RegWrite - Type: [0x4] Section [HKLM\Tmp_System\ControlSet001\Services\snapman] Key [Type]: 1
 - ↙ [/If,%SourceArch%,Equal,x64,RegWrite,HKLM,0x4,Tmp_System\ControlSet001\Services\snapman,WOW64,1]
 - ✓ RegHiveUnLoad - Unloaded registry hive: [Tmp_System]

- Run - Processed section [WriteSettings] in file: [%BaseDir%\Projects\Win7PESE\apps\HD Tasks\Acronis\TrueImage_WinPE_2015_14_13_12.Script]

 - ↙ [/--]
 - ✓ StrFormat - converted [SPLIT(Default |0|EN,)] to variable: [%LangID%] with result: [0]
 - ✖ IF - [0] is equal to: [0] evaluated string: [If,Not,%LangID%,Equal,0,Begin]
 - ✖ [RegHiveLoad,Tmp_Software,%RegSoftware%]
 - ✖ [RegWrite,HKLM,0x4,Tmp_Software\Acronis\language,%LangID%]
 - ✖ [RegHiveUnLoad,Tmp_Software]
 - ✖ [End]
 - ↙ [/--]
 - ✓ IF - [true] is equal to: [true] evaluated string: [If,%pCheckBox1%,Equal,True,Add_Shortcut\Desktop]

- Run - Processing section: [AddShortcut2] From file: [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script]

 - ↙ with parameters: [Desktop]
 - ↙ [/==> Add_Shortcut,[Type],[StartMenuFolder],[Full\FileName],[Title],[Work Folder],[Parameters],[(path)\IconFile(#\$clconIndex)],StartMode=1, 2, or 3][#\$clconIndex],[ToolTi
 - ✓ Create ShortCut Desktop
 - ✓ IniRead - [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script] Section [IniVariablesApi] Key [_ML_SHToRoot] to variable: [%_ML_SHToRoot%] with value []
 - ✓ IniRead - [%BaseDir%\Projects\Win7PESE\Build\Macro_Library.script] Section [IniVariablesApi] Key [_ML_SubFoldersToRoot] to variable: [%_ML_SubFoldersToRoot%] with
 - ✖ IF - [desktop] is not equal to: [autostart] evaluated string: [If,#1,Equal,AutoStart,Set,#1,Autorun]
 - ✖ IF - [] is not equal to: [quicklaunch] evaluated string: [If,#2,Equal,QuickLaunch,Set,#1,QuickLaunch]
 - ✖ IF - [desktop] is not equal to: [] evaluated string: [If,#1,Equal,,Set,#1,StartMenu]
 - ✖ IF - [desktop] is not equal to: [editwith] evaluated string: [If,#1,Equal>EditWith,Begin]
 - ✖ [If,#2,Equal,,Set,#2,"Edit with"]
 - ✖ [End]
 - ✓ ELSE - executing command: [Begin]
 - ↙ [/if no folder defined use the scriptfolder]

✓ IF - [] is equal to: [] evaluated string: [If,#2,Equal,,Begin]
 ✓ StrFormat - converted [POS(%BaseDir%\Projects\Win7PESE\apps\HD Tasks\Acronis\App)] to variable: [%Pos%] with result: [36]
 ✓ StrFormat - converted [LTrim(%BaseDir%\Projects\Win7PESE\apps\HD Tasks\Acronis,#2)] to variable: [#2] with result: [Apps\HD Tasks\Acronis]
 ✓ StrFormat - converted [Replace(Apps\HD Tasks\Acronis.App)] to variable: [#2] with result: [s\HD Tasks\Acronis]
 ✓ StrFormat - converted [POS(s\HD Tasks\Acronis,)] to variable: [%Pos%] with result: [2]
 ✓ StrFormat - converted [LTrim(s\HD Tasks\Acronis,#2)] to variable: [#2] with result: [HD Tasks\Acronis]
 ✓ [End]
 ✓ [End]
 ✓ IF - [] is equal to: [] evaluated string: [If,#3,Equal,,Set,#3,%PE_Programs%\%ProgramFolder%\%ProgramEXE%]
 ✓ SetVar - Sucessfuly changed the value of [#3] to: [Y:\Programs\Acronis\TrueImage\TrueImage_starter.exe]
 ✓ IF - [] is equal to: [] evaluated string: [If,#4,Equal,,Set,#4,%ProgramTitle%]
 ✓ SetVar - Sucessfuly changed the value of [#4] to: [Acronis True Image]
 ⓘ //If,#5,Equal,,StrFormat,path,#3,#5
 ✗ IF - [] is equal to: [] evaluated string: [If,Not,#6,Equal,,StrFormat,Replace,#6,#,\$q,#6]
 ✗ IF - [] is equal to: [] evaluated string: [If,Not,#7,Equal,,Begin]
 ✗ [StrFormat,path,#7,%SHC_Icon_Path%]
 ✗ [StrFormat,filename,#7,%SHC_Icon_FileName%]
 ✗ [If,%SHC_Icon_Path%,Equal,,StrFormat,path,#3,%SHC_Icon_Path%]
 ✗ [Set,#7,%SHC_Icon_Path%\$%SHC_Icon_FileName%]
 ✗ [End]
 ✗ IF - [desktop] is not equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,If,%_ML_SubFoldersToRoot%,Equal,True,StrFormat,Filename,#2,#2]
 ✗ IF - [desktop] is not equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,Begin]
 ✗ [If,Not,%_ML_SHToRoot%,Equal,,Begin]
 ✗ [StrFormat,Left,#2,3,%_ML_parTwoLeftThreeResult%]
 ✗ [If,%_ML_parTwoLeftThreeResult%,Equal,..,StrFormat,LTrim,#2,3,#2]
 ✗ [StrFormat,Left,#2,2,%_ML_parTwoLeftTwoResult%]
 ✗ [If,%_ML_parTwoLeftTwoResult%,Equal,..,StrFormat,LTrim,#2,2,#2]
 ✗ [If,%_ML_parTwoLeftTwoResult%,Equal,..,StrFormat,LTrim,#2,2,#2]
 ✗ [StrFormat,Left,#2,1,%_ML_parTwoLeftOneResult%]
 ✗ [If,%_ML_parTwoLeftOneResult%,Equal,..,StrFormat,LTrim,#2,1,#2]
 ✗ [Set,#2,..,#2]
 ✗ [End]
 ✗ [End]
 ⓘ //this makes all with no folder --> explorer shell to programs -- bsexplorer to root If,Not,%_ML_SHToRoot%,Equal,,If,#1,Equal,StartMenu,Set,#1,""
 ✗ IF - [desktop] is not equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,Set,#1,#2]
 ✗ IF - [desktop] is not equal to: [editwith] evaluated string: [If,#1,Equal>EditWith,Run,%API%,RegAdd_boot_%_ML_RegAddBootMethod%,HKLM,0x2,Software\Classes\shell\#
 ✓ ELSE - executing command: [Begin]
 ✗ IF - [desktop] is not equal to: [autorun] evaluated string: [If,#1,Equal,Autorun,Run,%API%,Add_Auto_Run%API_TYPE%,#4/#3,#6,2]
 ✓ ELSE - executing command: [IniWriteTextLine,%PE_CFG%,shortcut,#1#4#3#7#6]
 ✓ IniWriteTextLine - Wrote INI text line in [%BaseDir%\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [shortcut] line [Desktop\Acronis True Image] Y:\Programs
 ✓ [End]
Run - Processed section [AddShortcut2] in file: %BaseDir%\Projects\Win7PESE\BuildMacro_Library.script
 ✓ IF - [true] is equal to: [true] evaluated string: [If,%pCheckBox2%,Equal,True,Add_Shortcut,StartMenu,%pTextBox1%]
Run - Processing section: [AddShortcut2] From file: %BaseDir%\Projects\Win7PESE\BuildMacro_Library.script
 ↪ with parameters: [StartMenu],[HD Tasks\Acronis]
 ⓘ //==> Add_Shortcut,[Type],[StartMenuFolder],[{Full}FileName],[Title],[Work Folder],[Parameters],[{path}IconFile({\$clconIndex}],[StartMode=1, 2, or 3][\${\$clconIndex}], [ToolTip]
 ⓘ Create ShortCut StartMenu
 ✓ IniRead - [%BaseDir%\Projects\Win7PESE\BuildMacro_Library.script] Section [IniVariablesApi] Key [_ML_SHToRoot] to variable: [%_ML_SHToRoot%] with value []
 ✓ IniRead - [%BaseDir%\Projects\Win7PESE\BuildMacro_Library.script] Section [IniVariablesApi] Key [_ML_SubFoldersToRoot] to variable: [%_ML_SubFoldersToRoot%] with
 ✗ IF - [startmenu] is not equal to: [autostart] evaluated string: [If,#1,Equal,AutoStart,Set,#1,Autorun]
 ✗ IF - [hd tasks\acronis] is not equal to: [quicklaunch] evaluated string: [If,#2,Equal,QuickLaunch,Set,#1,QuickLaunch]
 ✗ IF - [startmenu] is not equal to: [] evaluated string: [If,#1,Equal,,Set,#1,StartMenu]
 ✗ IF - [startmenu] is not equal to: [editwith] evaluated string: [If,#1,Equal>EditWith,Begin]
 ✗ [If,#2,Equal,,Set,#2,"Edit with"]
 ✗ [End]
 ✓ ELSE - executing command: [Begin]
 ⓘ // if no folder defined use the scriptfolder
 ✗ IF - [hd tasks\acronis] is not equal to: [] evaluated string: [If,#2,Equal,,Begin]
 ✗ [StrFormat,POS,%ScriptDir%,App,%Pos%]
 ✗ [StrFormat,LTRIM,%ScriptDir%,%Pos%,#2]
 ✗ [StrFormat,Replace,#2,App,"#",#2]
 ✗ [StrFormat,POS,#2\,%Pos%]
 ✗ [StrFormat,LTRIM,#2,%Pos%,#2]
 ✗ [End]
 ✓ [End]
 ✓ IF - [] is equal to: [] evaluated string: [If,#3,Equal,,Set,#3,%PE_Programs%\%ProgramFolder%\%ProgramEXE%]
 ✓ SetVar - Sucessfuly changed the value of [#3] to: [Y:\Programs\Acronis\TrueImage\TrueImage_starter.exe]
 ✓ IF - [] is equal to: [] evaluated string: [If,#4,Equal,,Set,#4,%ProgramTitle%]
 ✓ SetVar - Sucessfuly changed the value of [#4] to: [Acronis True Image]
 ⓘ //If,#5,Equal,,StrFormat,path,#3,#5
 ✗ IF - [] is equal to: [] evaluated string: [If,Not,#6,Equal,,StrFormat,Replace,#6,#,\$q,#6]
 ✗ IF - [] is equal to: [] evaluated string: [If,Not,#7,Equal,,Begin]
 ✗ [StrFormat,path,#7,%SHC_Icon_Path%]
 ✗ [StrFormat,filename,#7,%SHC_Icon_FileName%]
 ✗ [If,%SHC_Icon_Path%,Equal,,StrFormat,path,#3,%SHC_Icon_Path%]
 ✗ [Set,#7,%SHC_Icon_Path%\$%SHC_Icon_FileName%]
 ✗ [End]
 ✓ IF - [startmenu] is equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,If,%_ML_SubFoldersToRoot%,Equal,True,StrFormat,Filename,#2,#2]
 ✗ IF - [falsy] is not equal to: [truely] evaluated string: [If,%_ML_SubFoldersToRoot%,Equal,True,StrFormat,Filename,#2,#2]
 ✓ IF - [startmenu] is equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,Begin]
 ✗ IF - [] is equal to: [] evaluated string: [If,Not,%_ML_SHToRoot%,Equal,,Begin]
 ✗ [StrFormat,Left,#2,3,%_ML_parTwoLeftThreeResult%]
 ✗ [If,%_ML_parTwoLeftThreeResult%,Equal,..,StrFormat,LTrim,#2,3,#2]
 ✗ [StrFormat,Left,#2,2,%_ML_parTwoLeftTwoResult%]

```
☒ [If,%_ML_parTwoLeftTwoResult%,Equal,,,StrFormat,LTrim,#2,2,#2]
☒ [If,%_ML_parTwoLeftTwoResult%,Equal,,\StrFormat,LTrim,#2,2,#2]
☒ [StrFormat,Left,#2,1,%_ML_parTwoLeftOneResult%]
☒ [If,%_ML_parTwoLeftOneResult%,Equal,,StrFormat,LTrim,#2,1,#2]
☒ [Set,#2,,\#2]
☒ [End]
☒ [End]
☒ [i] [/this makes all with no folder --> explorer shell to programs -- bsexplorer to root If,Not,%_SHToRoot%,Equal,,If,#1,Equal,StartMenu,Set,#1,""]
☒ [green] IF - [startmenu] is equal to: [startmenu] evaluated string: [If,#1,Equal,StartMenu,Set,#1,#2]
☒ [green] SetVar - Sucessfully changed the value of [#1] to: [HD Tasks/Acronis]
☒ [x] IF - [hd tasks/acronis] is not equal to: [editwith] evaluated string: [If,#1,Equal>EditWith,Run,%API%,RegAdd_boot_%_ML_RegAddBootMethod%,HKLM,0x2,Software\Classes\]
☒ [green] ELSE - executing command: [Begin]
☒ [x] IF - [hd tasks/acronis] is not equal to: [autorun] evaluated string: [If,#1,Equal,Autorun,Run,%API%,Add_Auto_Run%API_TYPE%,#4,#3,#6,2]
☒ [green] ELSE - executing command: [IniWriteTextLine,%PE_CFG%,shortcut,#1#4#3#7#6]
☒ [green] IniWriteTextLine - WroteINI text line in [%BaseDir%]\Target\Win7PESE\Windows\System32\Win7PE.cfg] Section [shortcut] line [HD Tasks/Acronis|Acronis True Image|Y]
☒ [green] [End]
```

Run - Processed section [AddShortcut2] in file: [%BaseDir%\Projects\Win7PESE\BuildMacro_Library.script]

```
☒ [x] IF - [false] is not equal to: [true] evaluated string: [If,%pCheckBox3%,Equal,True,Add_Shortcut,QuickLaunch]
☒ [x] IF - [nt6false] is not equal to: [nt6true] evaluated string: [If,%OSFamily%%pCheckBox_RP%,Equal,NT6True,Add_Pin,RecentPrograms,,$Start_Menu\Programs\%pTextBox1%\%]
```

Acronis Truelimage WinPE 2015-14-13-12



Script time: 6 seconds and 750 milliseconds

Script has been sucessfully processed!



You can post this log on the [Reboot forums](#) whenever you need help to properly debug the errors on this project
More detailed documentation can be found on our [wiki](#)

WinBuilder © 2006-2010 [Nuno Brito](#)

